
## Mobile Application Programming Xcode Tools

### Editor - Inspector



### Editor - Visual Differences

🔴 🔴 🌔 📄 🕎 MobileStudio	MobileStudio   Build MobileStudio: Succeeded   Today at 12:2	2:23 PM						
🛅 🛱 🔍 🛆 🗇 🎟 🕞 🛱 🎖 🕹 MobileStudio 🤇 🧰 Classes 🤇 🧰 Networking 🤇 🛅 WebDAV Server 🤇 🖮 MFWebDavServer.m 🤇 💽 @implementation MFWebDavServer								
h MFColorChondicatorView.h m MFColorChodicatorView.m h MFColorChooserColor.h m MFColorChooserColor.m h MFColorChoheellmages.h Settings View Controller h MFSettingsConstants.h h MFSettingsController.h m MFSettingsController.m h MFSettingsViewController.h m MFSettingsViewController.m h MFSettingsViewController.m	<pre>24 #pragma mark Private Interface 25 @interface MFWebDavServer() <mfwebdavconnectiondelegate,< td=""><td><pre> #pragma mark - #pragma mark - #pragma mark Constants #define MFWebDavServerName @"MobileStudio WebDav 1.0.0" #define MFWebDavServerRealm @"default@mobilestudio.com" #define MFWebDavServerNetServiceResolveTimeout 5.0 #pragma mark - #pragma mark - #pragma mark Private Interface @interface MFWebDavServer() <mfwebdavconnectiondelegate,< td=""></mfwebdavconnectiondelegate,<></pre></td></mfwebdavconnectiondelegate,<></pre>	<pre> #pragma mark - #pragma mark - #pragma mark Constants #define MFWebDavServerName @"MobileStudio WebDav 1.0.0" #define MFWebDavServerRealm @"default@mobilestudio.com" #define MFWebDavServerNetServiceResolveTimeout 5.0 #pragma mark - #pragma mark - #pragma mark Private Interface @interface MFWebDavServer() <mfwebdavconnectiondelegate,< td=""></mfwebdavconnectiondelegate,<></pre>						
<ul> <li>m Mr-Settingsview.m</li> <li>Help View Controller</li> <li>h MFHelpController.h</li> <li>m MFHelpOiewController.m</li> <li>h MFHelpViewController.h</li> <li>m MFHelpViewController.m</li> <li>Networking</li> <li>h MFNetworking.h</li> <li>WebDAV Server</li> <li>CocoaHTTPServer</li> <li>h MFWebDavServer.h</li> <li>m MFWebDavServer.m</li> <li>h MFWebDavConnection.h</li> <li>m MFWebDavConnection.m</li> </ul>	<pre>40 UInt32 _localListenAddress; 41 UInt16 _localListenPort; 42 BOOL _listenRequested; 43 BOOL _listenRequested; 44 AsyncSocket* _listenSocket; 45 46 //Bonjour 47 NSNetService* _netService; 48 NSNetService* _netServiceAddressResolver; 49 NSString* _netServiceAddress; 50 51 //HTTP server configuration 52 NSString* _documentRoot; 53 54 //Server state 55 NSUInteger _connectionIDCount; 56 NSMutableArray* _connections; 57 NSMutableArray* _nonceCache; 58 }</pre>	<pre>31 @implementation MFWebDavServer 32 33 #pragma mark Constructors 34 - (id) initWithDocumentRoot:(NSString*)documentRoot 35 36 self = [super init]; 37 if (self == nil) 38 return nil; 39 40 //Save document root 41 _documentRoot = [documentRoot copy]; 42 return self; 44 } 45 46 - (id) init 47 { 48 return [self initWithDocumentRoot:MFFileInformationDirectoryDocuments] 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5</pre>						
<ul> <li>h MFXML.h</li> <li>m MFXML.m</li> <li>FTP Server</li> <li>h MFFtpConstants.h</li> <li>h MFFtpServer.h</li> <li>m MFFtpServer.m</li> <li>h MFFtpSession.h</li> <li>m MFFtpSession.m</li> <li>h MFFtpDataConnection.h</li> <li>m MFFtpDataConnection.m</li> <li>Keychain</li> <li>h MFKeychainConstants.h</li> </ul>	<pre>59 60 61 62 63 63 64 64 64 65 65 66 66 66 67 67 75 75 66 7 7 7 7 7</pre>	<pre>49 } 50 51 - (void) dealloc 52 { 53 //Stop the server if it's running. Releases variables created by the 54 [self stop]; 55 56 //Release all instance variables not created by the server thread 57 [_documentRoot release]; 58 59 [super dealloc]; 60 } 61 62 #pragma mark - 63 #pragma mark Accessors 64 - (NSObject&lt;#FWebDavServerDelegate&gt;*) delegate 55 55 55 55 55 55 55 55 55 55 55 55 55</pre>						
$+   \odot \boxtimes \bigcirc$	🔟 MobileStudio $ angle$ 🌱 dev $ angle$ 💭 Local Revision	🕙 🚺 MobileStudio > 🌱 dev > 🕒 10/6/11 Matt Stoker c1a167fd8bb2						


### Instruments

Choose a profiling template for: 📷 iPhone 6 (8.1 Simulator) > 🔯 MobileStudio.app								
Standard Custom Recent Q Search								
Blank	Activity Monitor	Allocations	Automation	Cocoa Layout	Core Animation			
Core Data	Counters	Dispatch	Energy Diagnostics	File Activity	GPU Driver			
Leaks	Multicore	Network	OpenGL ES Analysis	Sudden Termination	System Trace			
System Usage	Time Profiler	UI Recorder	Zombies					
Blank A blank trace document that can be customized with instruments from the Library.								
Cancel Choose								
0505050505050505				05050505050505050	<pre><pre>&gt;</pre></pre>			

### Instruments


Il Phone ) MobileStudio.app Run 1 of 1 00:00:17 All Cores All Processes / Threads Instruments 90:do' ************************************				600000000000	Instrume	ants		000000					
All Cores       All Processes / Threads         Instruments       90:d0' ************************************		iPhone	MobileStudio app	Bun 1 of 1						<b>D</b>			
Instruments pol:do"			MobileStudio.app					_	Т				
Time Profiler       Image: Call Tree       Q= Involves Symbol         Image: Call Tree       Q= Involves Symbol       Image: Call Tree         Image: Call Tree       Call Tree       Q= Involves Symbol         Image: Call Tree       Q= Involves Symbol       Image: Call Tree         Image: Call Tree       Q= Involves Symbol       Image: Call Tree         Image: Call Tree       Q= Involves Symbol       Image: Call Tree         Image: Call Tree       Call Tree       Q= Involves Symbol         Ima	All Cores	All Cores All Processes / Threads											
Image: Self Symbol Name         1632.0ms 96.4%       0.0         1195.0ms 70.6%       0.0	Instru	uments	bo;qo, , , , , , , , , , , , , , , , , , ,	ob:10' ' ' ' ' '	' loo:20' ' '		100:30''''	' ' ' loo:4	0'''''	00:50		o1:do' ' ' ' ' ' ' '	
Image: Time Profiler       Call Tree       Cal	Time	Profiler	MUL.										
Image: Self       Symbol Name       Sample Perspective         1632.0ms       96.4%       0.0       ▼Main Thread 0x57cde       Output         1195.0ms       70.6%       0.0       ▶_dyld_start       dyld       Output	-tu												
Running Time >       Self       Symbol Name       Sample Perspective         1632.0ms       96.4%       0.0       VMain Thread 0x57cde       All Sample Counts         1195.0ms       70.6%       0.0       Image: Counts of the sample Times													
1632.0ms       96.4%       0.0       VMain Thread 0x57cde       OAll Sample Counts         1195.0ms       70.6%       0.0       O       Image: Additional content of the second con	Running Time√	Self f	Symbol Name						Sample P	erspective			
1195.0ms 70.6% 0.0 O Housing Sample Times	1632.0ms 96.4%												
									Running Sample Times				
437.0ms       25.8%       0.0       Image: start       bdyld.dylb         19.0ms       1.1%       0.0       Image: start       bdyld.dylb         Call Tree			▶start libdyld.dylib ▶_dispatch_worker_thread3 0x57dd0						Call Tree				
			►-[NSThread main] 0x57df0										
8.0ms 0.4% 0.0 ▶_dispatch_worker_thread3 0x57dd1													
6.0ms 0.3% 0.0													
5.0ms 0.2% 0.0 ▶-[NSThread main] 0x57dfb	5.0ms 0.2%		▶-[NSThread main] 0x57dfb										
3.0ms 0.1% 0.0 ▶_dispatch_mgr_thread 0x57dc3										-			
2.0ms 0.1% 0.0 ▶_dispatch_worker_thread3 0x57dd2													
1.0hs 0.0% 0.0 Pstatt_withead 0.5/del 0	1.0ms 0.0%	, 0.0	▶start_wqthread 0x57dr	əf 🜑									
Call Tree Constraints	I										3		

# Interface Builder



# Interface Builder

- Provides Storyboard and XIB files to make the creation of composite views a WYSIWYG experience
- XIB files contain a freeze-dried fullscreen UI that is loaded into memory along with a view controller, filling in IBOutlet vars with object instances
- Storyboards contain many full-screen views and the relationships between them, called segues



### Interface Builder

