

Sample Mid-Term Exam 2

CS 5510, Fall 2011

November 8

Name: _____

Start time: _____

End time: _____

Instructions: You have eighty minutes to complete this open-book, open-note, closed-computer exam. Please write all answers in the provided space, plus the back of the exam if necessary.

1) Which of the following produce different results in a eager language and a lazy language? Both produce the same result if they both produce the same number or they both produce a procedure (even if the procedure doesn't behave exactly the same when applied), but they can differ in errors reported.

a) `{fun {y} 12} {1 2}`

b) `{fun {x} {{fun {y} 12} {1 2}}}`

c) `{+ 1 {fun {y} 12}}`

d) `{+ 1 {{fun {x} {+ 1 13}} {+ 1 {fun {z} 12}}}}`

e) `{+ 1 {{fun {x} {+ x 13}} {+ 1 {fun {z} 12}}}}`

- 2) The following web servlet implementation (main handler plus helper function) uses `web-read`, which takes only a prompt and uses `let/cc` internally to obtain a continuation. Convert the servlet (both functions) to instead use `web-read/k`, which takes a prompt and an explicit continuation procedure (and does not use `let/cc` internally). You should assume that the `correct-password?` function requires no interaction with the user. **The Fall 2011 version of this question will be more difficult.**

```
(define (pw-handler base args)
  (get-pw (web-read "Name")))

(define (get-pw name)
  (local [(define pw (web-read "Password"))]
    (if (correct-password? name pw)
        (format "Hello, ~a" name)
        (get-pw name))))
```

3) Given the following expression:

```
{{fun {x} {x x}}  
 {fun {y} 12}}
```

Describe a trace of the evaluation in terms of arguments to `interp` and `continue` functions for every call of each. (There will be 7 calls to `interp` and 5 calls to `continue`.) The `interp` function takes three arguments — an expression, a substitution cache, and a continuation — so show all three for each `interp` call. The `continue` function takes two arguments — a value and a continuation — so show both for each `continue` call. Represent continuations using records.

4) Suppose a garbage-collected interpreter uses the following three kinds of records:

- Tag **1**: a record containing two pointers
- Tag **2**: a record containing one pointer and one integer
- Tag **3**: a record containing one integer

The interpreter has one register, which always contains a pointer, and a memory pool of size 22. The allocator/collector is a two-space copying collector, so each space is of size 11. Records are allocated consecutively in to-space, starting from the first memory location, 0.

The following is a snapshot of memory just before a collection where all memory has been allocated:

- Register: 8
- To space: 1 3 8 3 0 2 3 7 2 0 8

What are the values in the register and the new to-space (which is also addressed starting from 0) after collection? Assume that unallocated memory in to-space contains 0.

- Register:

- To space:

Answers

1) *a* and *d*.

```
2) (define (pw-handler base args)
    (web-read/k "Name" get-pw))
```

```
(define (get-pw name)
  (web-read/k "Password"
    (lambda (pw)
      (if (correct-password? name pw)
          (format "Hello, ~a" name)
          (get-pw name))))))
```

3)

```
interp  expr =  $\{\{\text{fun } \{x\} \{x \ x\}\} \{\text{fun } \{y\} \ 12\}\}$ 
        subs = (mtSub)
        k     = (mtK)

interp  expr =  $\{\text{fun } \{x\} \{x \ x\}\}$ 
        subs = (mtSub)
        k     = (appArgK  $\{\text{fun } \{y\} \ 12\}$  (mtSub) (mtK))

cont    val = (closureV 'x  $\{x \ x\}$ ) =  $v_1$ 
        k     = (appArgK  $\{\text{fun } \{y\} \ 12\}$  (mtSub) (mtK))

interp  expr =  $\{\text{fun } \{y\} \ 12\}$ 
        subs = (mtSub)
        k     = (doAppK  $v_1$  (mtK))

cont    val = (closureV 'y  $\{12\}$ ) =  $v_2$ 
        k     = (doAppK  $v_1$  (mtK))

interp  expr =  $\{x \ x\}$ 
        ds    = (aSub 'x  $v_2$  (mtSub)) =  $ds_1$ 
        k     = (mtK)

interp  expr =  $x$ 
        ds    =  $ds_1$ 
        k     = (appArgk  $x$   $ds_1$  (mtK))

cont    val =  $v_2$ 
        k     = (appArgK  $x$   $ds_1$  (mtK))

interp  expr =  $x$ 
        ds    =  $ds_1$ 
        k     = (doAppK  $v_2$  (mtK))

cont    val =  $v_2$ 
```

```

          k      = (doAppK v2 (mtK))
interp  expr    = 12
          ds     = (aSub 'y v2 (mtSub))
          k      = (mtK)

cont    val     = (numV 12)
          k      = (mtK)

```

4) Register: 0, To space: 2 3 8 1 6 0 3 0 0 0 0