Today

- ♦ Intro to real-time scheduling
- **♦** Cyclic executives
 - > Scheduling tables
 - > Frames
 - > Frame size constraints
 - > Generating schedules
 - > Non-independent tasks
 - > Pros and cons

Real-Time Systems

- ◆ The correctness of a depends not just on the validity of results but on the times at which results are computed
 - > Computations have
 - Usually, but not always, ok to finish computation early
- ♦ Hard real-time system: missed deadlines may be catastrophic
- ◆ Soft real-time system: missed deadlines reduce the value of the system
- ◆ Real-time deadlines are usually in the range of microseconds through seconds

Real-Time System Examples

◆ Hard real-time

- Most feedback control systems
 - E.g. engine control, avionics, ...
 - Missing deadlines affects stability of control
- > Air traffic control
 - Missing deadlines affects ability of airplanes to fly

◆ Soft real-time

- > Windows Media Player
- Software DVD player
- Network router
- Games
- Web server
- Missing deadlines reduces quality of user experience

Real-Time Abstractions

- ◆ System contains n periodic tasks T₁, ..., T_n
- ◆ T_i is specified by (P_i, C_i, D_i)
 - > P is period
 - C is worst-case execution cost
 - > D is relative deadline
- ◆ Task T_i is released at start of period, executes for C_i time units, must finish before D_i time units have passed
 - Often P_i==D_i, and in this case we omit D_i
- **◆ Intuition behind this model:**
 - > Real-time systems perform repeated computations that have characteristic rates and response-time requirements
- ♦ What about non-periodic tasks?

Real Time Scheduling

- ◆ Given a collection of runnable tasks, the scheduler decides which to run
 - Some task sets work no matter what the scheduler does (as long as it runs something)
 - Some task sets cannot work no matter what the scheduler does
 - Some task sets only work when the scheduler operates correctly

Real Time Scheduling

- **♦** Interesting schedulers:
 - > Fixed priorities
 - > Round robin
 - Earliest deadline first (EDF)
 - Many, many more exist
- ◆ A scheduler is optimal when, for a class of real-time systems, it can schedule any task set that can be scheduled by any algorithm

Real-Time Analysis

- ◆ Given:
 - A set of real-time tasks
 - A scheduling algorithm
- Is the task set schedulable?
 - > Yes
 - No → at some point a deadline might be missed
- ♦ Important: Answer this question at design time
- **♦** Other questions to ask:
 - Where does worst-case execution cost come from?
 - How close to schedulable is a non-schedulable task set?
 - How close to non-schedulable is a schedulable task set?
 - What happens if we change scheduling algorithms?
 - What happens if we change some task's period or execution cost?

Cyclic Schedule

- ◆ This is an important way to sequence tasks in a realtime system
 - We'll look at other ways later
- ◆ Cyclic scheduling is static computed offline and stored in a table
 - For now we assume table is given
 - Later look at constructing scheduling tables
- ◆ Task scheduling is non-preemptive
 - No RTOS is required
- ♦ Non-periodic work can be run during time slots not used by periodic tasks
 - > Implicit low priority for non-periodic work
 - Usually non-periodic work must be scheduled preemptively

Cyclic Schedule Table

$$T(t_k) = \begin{cases} T_i & \text{if } T_i \text{ is to be scheduled at time } t_k \\ I & \text{if no periodic task is scheduled at time } t_k \end{cases}$$

- ◆ Table executes completely in one hyperperiod H
 - > Then repeats
 - > H is least common multiple of all task periods
 - N quanta per hyperperiod
- **♦** Multiple tables can support multiple system *modes*
 - E.g., an aircraft might support takeoff, cruising, landing, and taxiing modes
 - > Mode switches permitted only at hyperperiod boundaries
 - Otherwise, hard to meet deadlines

Example

◆ Consider a system with four tasks


$$> T_1 = (4,1)$$

$$T_2 = (5, 1.8)$$

$$> T_3 = (20, 1)$$

$$> T_4 = (20, 2)$$

◆ Possible schedule:



◆ Table starts out with:

$$\rightarrow$$
 (0, T₁), (1, T₃), (2, T₂), (3.8, I), (4, T₁), ...

Refinement: Frames

- **♦** We divide hyperperiods into *frames*
 - > Timing is enforced only at frame boundaries
 - Each task is executed as a function call and must fit within a single frame
 - Multiple tasks may be executed in a frame
 - Frame size is f
 - > Number of frames per hyperperiod is F = H/f

Frame Size Constraints

1. Tasks must fit into frames


- > So, $f \ge C_i$ for all tasks
- Justification: Non-preemptive tasks should finish executing within a single frame

2. f must evenly divide H

- Equivalently, f must evenly divide P_i for some task i
- Justification: Keep table size small

More Frame Size Constraints


- 3. There should be a complete frame between the release and deadline of every task
 - Justification: Want to detect missed deadlines by the time the deadline arrives



Therefore: 2f – gcd (P_i, f) ≤ D_i for each task i

Example Revisited

- **♦** Consider a system with four tasks
 - \rightarrow T₁ = (4,1), T₂ = (5, 1.8), T₃ = (20, 1), T₄ = (20, 2)
 - \rightarrow H = Icm (4,5,20) = 20
- **♦** By Constraint 1: f ≥ 2
- **♦** By Constraint 2: f might be 1, 2, 4, 5, 10, or 20
- **♦** By Constraint 3: 2 and 4 work



Task Slices

- **♦** What if frame size constraints cannot be met?
 - \rightarrow Example: T = { (4, 1), (5, 2, 7), (20, 5) }
 - By Constraint 1: f ≥ 5
 - By Constraint 3: f ≤ 4
- ♦ Solution: slice a task into smaller sub-tasks
 - > So (20, 5) becomes (20, 1), (20, 3), and (20, 1)
 - > Now f = 4 works
- **♦** What is involved in slicing?

Design Decision Summary

- **◆** Three decisions:
 - Choose frame size
 - > Partition tasks into slices
 - Place slices into frames
- ♦ In general these decisions are not independent

Cyclic Executive Pseudocode

```
// L is the stored schedule
current time t = 0;
current frame k = 0;
do forever
  accept clock interrupt;
  currentBlock = L(k);
  t++;
  k = t \mod F;
  if last task not completed, take appropriate action;
  execute slices in currentBlock;
  sleep until next clock interrupt;
```

Practical Considerations

♦ Handling frame overrun

- Main issue: Should offending task be completed or aborted?
- How can we eliminate the possibility of overrun?

♦ Mode changes

- > At hyperperiod boundaries
- How to schedule the code that figures out when it s time to change modes?

Multiprocessor systems

Similar to uniprocessor but table construction is more difficult

Splitting tasks

> Painful and error prone

Computing a Static Schedule

- Problem: Derive a frame size and schedule meeting all constraints
- ♦ Solution: Reduce to a network flow problem
 - > Use constraints to compute all possible frame sizes
 - For each possible size, try to find a schedule using network flow algorithm
 - If flow has a certain value:
 - A schedule is found and we re done
 - Otherwise:
 - Schedule is not found, look at the next frame size
 - If no frame size works, system is not schedulable using cyclic executive

Network Flow Problem

- ◆ Given a graph of links, each with a fixed capacity, determine the maximum flow through the network
- **♦** Efficient algorithms exist




Figure 1a - Maximum Flow in a network


Flow Graph Definitions

- ◆ Denote all jobs in hyperperiod of F frames as J₁...J_n
- **♦ Vertices:**
 - > N job vertices J₁, J₂, ..., J_N
 - > F frame vertices 1, 2, ..., F

♦ Edges:

- > (source, J_i) with capacity C_i
 - Encodes jobs compute requirements
- > (J_i, x) with capacity f iff J_i can be scheduled in frame x
 - Encodes periods and deadlines
- (f, sink) with capacity f
 - Encodes limited computational capacity in each frame


Flow Graph Illustration



Finding a Schedule

- ♦ Maximum attainable flow is $\Sigma_{i=1..N}$ C_i
 - Total amount of computation in the hyperperiod
 - If a max flow is found with this amount then we have a schedule
- ♦ If a task is scheduled across multiple frames, we must slice it into subtasks
 - > Potentially difficult
 - However, if we don't allow the algorithm to split tasks, the problem becomes NP-complete
 - Common pattern in this sort of problem
 - E.g. optimal bin packing becomes easy if we can split objects

Flow Graph Example



◆ This flow is telling us to split J_i into two jobs, one in x and one in y, while J_k executes entirely in y

Non-Independent Tasks

- ◆ Precedence constraints: T_i must execute before T_j
 - Enforce these by adjusting tasks release times and deadlines
- ◆ Critical sections: T_i must not be sliced in such a way that T_i runs in the middle
 - > These make the problem of finding a schedule NP-hard

CE Advantages

- ◆ Main advantage: Cyclic executives are very simple you just need a table
 - > Table makes the system very predictable
 - Can validate and test with very high confidence
 - > No race conditions, no deadlock
 - > No processes, no threads, no locks, ...
 - Task dispatch is very efficient: just a function call
 - > Lack of scheduling anomalies

CE Disadvantages

- Cyclic executives are brittle any change requires a new table to be computed
- Release times of tasks must be fixed
- ◆ F could be huge
 - Implies mode changes may have long latency
- ◆ All combinations of tasks that could execute together must be analyzed
- Slicing tasks into smaller units is difficult and errorprone

Summary

- ◆ Cyclic executive is one of the major software architectures for embedded systems
 - Historically, cyclic executives dominate safety-critical systems
 - > Simplicity and predictability win
 - > However, there are significant drawbacks
 - Finding a schedule might require significant offline computation